

Additives for Coatings, Inks, and Adhesives

SOLUTIONS THAT ADD REAL VALUE TO YOUR SYSTEMS





WE TAKE
A HOLISTIC
APPROACH
TO IMPROVING
OUR CLIENTS'
COMPETITIVE
ADVANTAGE...

WE OFFER
SOLUTIONS,
NOT JUST
PRODUCTS.

Contents

ABOUT US	2
PRODUCT OVERVIEW	4
ADDITIVES FOR COATINGS AND PAINTS	6
ADDITIVES FOR INKS AND GRAPHIC ARTS	7
ADDITIVES FOR ADHESIVES AND LATEX DIPPING	8
COMPLETE PRODUCT OFFERING	10



About Us

COMMITTED TO PROVIDING UNMATCHED PERFORMANCE

Evonik Industries seeks at all times to maintain its reputation as a leading supplier of exceptional specialty additives throughout the world. We do this through continual investment in product development and pace setting technology, as well as by anticipating the needs of our customers and offering innovative solutions – sometimes even in advance of our customers’ anticipated requirements.

Over 45 years ago, we recognized the inevitable shift from solvent to water-based systems and helped guide formulators through the challenges of making the transition. From a small number of Surfynol surfactant products, we have applied our surface science knowledge to help create what is today recognized as an exceptional product portfolio. We continually strive to be the global supplier of choice of specialty additives, supplying, within a broad range of applications and markets, customers who value high performance solutions.

A WINNING TEAM

Additives may be able to help you solve formulating challenges – but it’s the people behind the products that really make a difference. For decades, our chemists have been studying the unique challenges faced by the formulators of water-based systems. With their support, our goal is to help you achieve your goal of creating successful products. From product development to applications testing to technical service, we can help you put it all together by teaming the best products with an unparalleled applications development team. From ideas to finished products, our team can help you develop products, solve problems and grow your business.



**OFFERING YOU SOLUTIONS,
NOT JUST PRODUCTS.**



Evonik's families of Surfynol[®], Dynol[™], Airase[®], ZetaSpurse[®] and Carbowet[®] additives are widely used in countless industries, including coatings, inks, adhesives, metalworking and construction. Our continued commitment to developing new and beneficial surfactant technology promises to be an answer to ongoing challenges facing formulators. We are constantly working to provide unique products and performance solutions for a broad range of applications.

DYNOL SUPERWETTERS

For your most demanding applications – we think these superwetting surfactants are second to none.

SURFYNOL MULTIFUNCTIONAL ADDITIVES

A top performing range of multifunctional surfactants and defoamers. Our broad product line includes low foam dynamic wetting agents, unique molecular defoamers, as well as specialty surfactants designed for specific end-use applications.

AIRASE DEFOAMERS AND DEAERATORS

A complete line of defoamers and deaerators for waterborne applications, each formulated to provide the optimum of defoaming and compatibility in a given system. The product line includes our unique defoamers and deaerators as well as our innovative Structured Siloxane Defoamer Line (SSDL[™] defoamers), a line of defoamers designed to provide predictable performance relative to one another.

ZETASPERSE DISPERSANTS

A dedicated line of products that address unique challenges of dispersing pigments and other particles efficiently and effectively.

CARBOWET SURFACTANTS

Perfect for applications where you need wetting and surface tension reduction with varying degrees of emulsification and stabilization.

Product Overview

Some products are not available in all regions. Please check with your local office.

Defoamers and deaerators

Oil

Airase 4500
Airase 4655
Airase 4750V
Airase 4800
Surfynol DF-37
Surfynol DF-220

Siloxane

Airase 5100
Airase 5200
Airase 5300
Airase 5355
Airase 5400
Airase 5500
Airase 5600
Airase 5655
Airase 5700
Airase 8070
Surfynol DF-58
Surfynol DF-62
Surfynol DF-66
Surfynol DF-178
Surfynol DF-695

Molecular

Surfynol AD01
Surfynol 107L
Surfynol 104*
Surfynol 500S
Surfynol DF-110*
Surfynol MD-20
Surfynol MD-610S
Surfynol PC

Surfactants

Superwetters

Dynol 360
Dynol 604
Dynol 607
Dynol 800
Dynol 810
Dynol 960
Dynol 980

Multifunctional

Dynol 360
Surfynol AD01
Surfynol 107L
Surfynol 104*
Surfynol 420
Surfynol 440
Surfynol 465
Surfynol 485*
Surfynol 2502

Specialty/Formulated

Carbowet GA-100
Carbowet GA-200
Carbowet GA-210
Carbowet GA-211
Carbowet GA-221
Carbowet LSF
Surfynol 355
Surfynol 500S
Surfynol 61
Surfynol 82
Surfynol FS-85
Surfynol OP-340
Surfynol PSA336
Surfynol SE
Surfynol SE-F

Traditional/Stabilizing

Carbowet 76
Carbowet 103
Carbowet 106
Carbowet 109
Carbowet 125
Carbowet 138
Carbowet 144
ZetaSpere 170
ZetaSpere 179
ZetaSpere 182

Dispersants

Resin-free systems

ZetaSpere 1200
ZetaSpere 2300
ZetaSpere 2500
ZetaSpere 3100
ZetaSpere 3400
ZetaSpere 3600
ZetaSpere 3700
ZetaSpere 3800

Resin-containing systems

ZetaSpere 170
ZetaSpere 179
ZetaSpere 182
ZetaSpere 2500
ZetaSpere 3600

* This product is available in different forms.



**WE'RE DEDICATED TO ANTICIPATING
CUSTOMER REQUIREMENTS AND TO
HELPING OUR CUSTOMERS DEVELOP
THEIR BUSINESS . . .**

ADDITIVES FOR COATINGS AND PAINTS

+++ Top recommendations
+ Secondary options

		Architectural	Industrial & maintenance	Automotive	Specialty paper	Plastic	Wood	Powder	Pigment dispersion (base)	Pigment dispersion (colorant)	
DEFOAMING	Airase® 5100	++	+						++	++	
	Airase 5200	++	+						++	++	
	Airase 5300	++	++			+	+		+	+	
	Airase 5355				++				++	++	
	Airase 4500	++	++	+					++	+	
	Airase 5400	++	+			+	+		+	+	
	Surfynol® DF-220	++		+	+						
	Surfynol DF-58	++	++			+	++		++	++	
	Airase 8070	++	++	+		+	++		++	++	
	Airase 5500	+	++	+			++			+	
	Surfynol DF-62	+				++	++				
	Surfynol DF-66	+				++	++				
	Airase 5600	+	++	+		+	++				
	Surfynol DF-178		+	+		++	++				
	Airase 5700		+	+		++	++				
MOLECULAR DEFOAMERS	Surfynol DF-110*	++	++	++	+	++			++	++	
	Surfynol AD01	++	++	++	++	+	+		++	++	
	Surfynol 107L	++	++	++	++	+	+		++	++	
	Surfynol MD-20	++	+	++	++	++	++		++	++	
	Surfynol 104*	++	++	++	+	++	++	++	+	+	
	Surfynol 420	++	++	++	+	++	++		+	+	
	Surfynol PC				++						
	Surfynol 500S							++			
	SUPERWETTERS	Dynol™ 960	+	++	+		++	++			
		Dynol 980	+	++	+		+	+			
Dynol 360		++	++	++	++	++	++		++	++	
Dynol 800			++	++	+	++	++				
Dynol 810			+	+	+	+	+				
Dynol 607			++	++	++	+	+				
Surfynol 420		++	++	++		++	++		+	+	
Surfynol SE-F				+	++		++				
Surfynol PSA336		+			++	+					
Surfynol 440		+	++	+	++	+	++				
GRIND AIDS	Carbowet 106	+									
	Carbowet 109	+									
	Carbowet GA-100	++							++	+	
	Carbowet GA-200	++	++	++					++	++	
	Carbowet GA-210	++		++					++	++	
	Carbowet GA-211	+		++					++	++	
	Carbowet GA-221			++					+	++	
	ZetaSpers® 170	+	+						+	++	
	ZetaSpers 179	++	+						++	++	
	ZetaSpers 182	+	+						++	++	
ZetaSpers XXXX**	++	++	++	++	++	++		++	++		

*This product is available in different forms.

**For specific pigment dispersant recommendations, use the FAZT tool at FAZT.com or contact Evonik Corporation.

All products may not be available in all regions. Please contact your local supplier for availability.

***The product carries broad food contact compliances.

ADDITIVES FOR INKS AND GRAPHIC ARTS

+++ Top recommendations
+ Secondary options

		Inks	Fountain Solutions	Overprint Varnishes	Pigment Dispersions (resinated)	Pigment Dispersions (resin-free)
DEFOAMING		Airase® 5100		+++	+++	
		Airase 5200		+++	+++	
		Airase 5300	+	+++	+++	+
		Airase 5355***	+++	+++	+++	+++
		Surfynol® DF-695	+++			
		Airase 4500	+++	+++	+	+
		Airase 5400	+++	+++	+	+
		Airase 4655***	+	+	+	+
		Surfynol DF-58	+	+++	+	+
		Airase 8070	+	+	+	+
		Airase 5500	+++	+	+	+++
		Surfynol DF-62	+++			
		Surfynol DF-66	+++	+++		
		Airase 5600	+++	+		+
		Airase 5655***	+++	+	+	+
	Surfynol DF-178			+	+	
	Airase 5700	+	+			
WETTING	MOLECULAR DEFOAMERS	Surfynol DF-110*	+	+++	+++	+++
		Surfynol AD01	+++		+++	+++
		Surfynol 107L	+++		+++	+++
		Surfynol MD-20	+	+	+++	+++
		Surfynol 104*	+++	+	+	+
	SUPERWETTERS	Dynol™ 960	+++		+	
		Dynol 980	+		+++	
		Dynol 360		+++		
		Dynol 800	+		+	
		Dynol 810	+++		+++	
		Dynol 607		+++		
		Surfynol 355***	+		+++	
		Surfynol 420	+++	+++		+++
		Surfynol SE-F	+++			
		Surfynol OP-340			+++	
Surfynol 440	+++	+++				
Surfynol 2502	+++	+++	+++			
Surfynol 465		+++				
Surfynol FS-85		+++				
GRIND AIDS	Carbowet® GA-100				+++	+++
	Carbowet® GA-200				+++	+++
	Carbowet GA-210				+++	+++
	Carbowet GA-211				+++	+++
	Carbowet GA-221				+++	+++
	ZetaSpers® 170				+++	+
	ZetaSpers 179				+++	+
	ZetaSpers 182	+++			+++	
	ZetaSpers XXXX**				+++	+++

*This product is available in different forms.

**For specific pigment dispersant recommendations, use the FAZT tool at FAZT.com or contact Evonik Corporation.

*** This product carries broad food contact compliances.

All products may not be available in all regions. Please contact your local supplier for availability.

ADDITIVES FOR ADHESIVES AND LATEX DIPPING

+++ Top recommendations
+ Secondary options

		Adhesives: film and PSA	Adhesives: engineered lumber	Lamination adhesives	Latex dipping	
DEFOAMING	Surfynol® DF-695			+		
	Airase® 4500	+++	+			
	Airase® 4655	+++		+		
	Surfynol DF-220	+		+	+	
	Surfynol DF-58	+				
	Airase 8070			+		
	Surfynol DF-37	+			+++	
	Airase 5500			+		
	Surfynol DF-66		+	+++		
	Airase 5600	+		+		
	Surfynol DF-178		+++			
	Airase 5700			+		
MOLECULAR DEFOAMERS	Surfynol DF-110*			+		
	Surfynol AD01	+	+	+++		
	Surfynol 107L	+	+	+++		
	Surfynol MD-20	+	+	+	+	
	Surfynol 104*	+	+++	+		
WETTING	Dynol™ 960	+				
	Dynol 980	+				
	Dynol 360	+	+	+		
	Dynol 800	+++		+		
	Dynol 810	+		+		
	Surfynol 355	+++	+	+++		
	Surfynol 420	+	+			
	Surfynol SE-F	+	+	+		
	Surfynol PSA336	+++	+	+++		
	Surfynol 440	+++	+++		+	
	Surfynol 2502	+	+			
	Surfynol 465				+++	
	Surfynol 485*				+++	
	GRIND AIDS	Carbowet® 109	+	+	+	+
		Carbowet GA-100	+			+
Carbowet GA-200		+	+	+	+	
Carbowet GA-211					+++	
Carbowet LSF					+++	
ZetaSperse® 170		+			+	
ZetaSperse XXXX**	+			+		

*This product is available in different forms.

**For specific pigment dispersant recommendations, use the FAZT tool at FAZT.com or contact Evonik Corporation.

All products may not be available in all regions. Please contact your local supplier for availability.

WE ARE
COMMITTED
TO PROVIDING
PRODUCTS AND
SOLUTIONS
THAT OFFER
UNMATCHED
PERFORMANCE
GAINS . . .



Complete product offering

Some products are not available in all regions. Please check with your local office.

SURFYNOL MULTIFUNCTIONAL ADDITIVES

SURFYNOL 107L

A nonionic wetting agent, molecular defoamer, and coalescing surfactant. Surfynol 107L surfactant is based on a patented surface active agent that provides strong molecular defoaming and efficient dynamic wetting benefits in all waterborne applications. Surfynol 107L surfactant also provides coalescing benefits in waterborne coatings. No added solvents or APEs.

SURFYNOL 2502

An alkoxyated low-foam wetting agent (100% active liquid). Surfynol 2502 surfactant is based on patented alkoxyated acetylenic diol surface active chemistry. Provides ideal balance of dynamic surface tension reduction and system compatibility with very low foam in waterborne coatings, inks, and adhesives systems. FDA clearances, no added solvents or APEs.

SURFYNOL 355

An excellent dynamic wetting agent designed to provide wetting of hydrophobic substrates without generating excess foam; particularly useful in waterbased inks, overprint varnishes, adhesives, pigment dispersions, and coatings applications. It does not contain added mineral oils, hazardous air pollutants (HAPs), alkyl phenol ethoxylates (APEs) or acetylenic diols. The product has multiple regional food contact compliances.

SURFYNOL 420

Surfynol 420 surfactant performs as a dynamic wetting agent and molecular defoamer in a wide variety of applications, including waterborne coatings, inks, adhesives, agricultural chemicals, and numerous industrial specialty applications. It is a 100% active, easy-to-handle liquid that contains no added alkylphenol ethoxylates (APEs) or hazardous air pollutants (HAPs). Surfynol 420 surfactant complies with several regulations needed for applications requiring food contact compliances in the U.S., Europe and Asia, as well as EPA compliances needed for use in agricultural chemical applications.

SURFYNOL 440

An ethoxylated low-foam wetting agent (100% active liquid). Surfynol 440 surfactant provides low foam dynamic and equilibrium surface tension reduction with improved dispersibility and ease of incorporation in waterborne coatings, inks, and adhesives systems. FDA and EPA clearances, no added solvents or APEs.



SURFYNOL 465

An ethoxylated low-foam wetting agent (100% active liquid). Surfynol 465 surfactant is an ethoxylated acetylenic diol that provides low foam surface tension reduction with improved solubility and compatibility in waterborne coatings, inks, and adhesives systems. FDA and EPA clearances, no added solvents or APEs.

SURFYNOL 485


An ethoxylated low-foam wetting agent (100% active liquid/semi-solid). Provides low-foam surface tension reduction with slight emulsification properties, improved solubility and compatibility in waterborne coatings, inks, and adhesives systems. FDA and EPA clearances, no added solvents or APEs.

SURFYNOL 485W

An ethoxylated low-foam wetting agent (75% active solution in water). Provides low-foam surface tension reduction with slight emulsification properties and improved solubility and compatibility in waterborne coatings, inks, and adhesives systems. FDA and EPA clearances, no added solvents or APEs.

SURFYNOL 500S

A powdered nonionic wetting agent and molecular defoamer. Surfynol 500S surfactant is a powdered preparation that provides rapid wetting of solid particles, fillers, pigments, and fibers; fast mixing and enhanced workability of cementitious systems. FDA clearances, no added APEs.



SURFYNOL 61

A volatile wetting agent (100% active liquid). Surfynol 61 surfactant is a multifunctional surface active agent based on acetylenic chemistry that provides substrate wetting in systems where surfactant residues or contamination are undesirable, such as silicon wafer or glass cleaning. The properties of Surfynol 61 allow it to completely evaporate under normal use conditions in variety of aqueous systems. No added solvents or APEs.

SURFYNOL 82

A nonionic surfactant (100% active solid) Surfynol 82 offers excellent non-foaming wetting in aqueous systems and is strongly synergistic with other surface active agents.

It can be volatilized without degrading when heated to its boiling point of 221 Celsius. EPA and FDA clearances, no added APEs.

SURFYNOL DF-110C

A nonionic, organic molecular defoamer. Surfynol DF-110C defoamer is an acetylenic diol-based product that provides defoaming and de-airetraining in aqueous systems without the side effects typical of many traditional foam control agents. Benefits include: microfoam elimination, long-lasting foam control, defect-free foam control, and good dynamic wetting. No added APEs.

SURFYNOL DF-110D

A nonionic, organic molecular defoamer. Surfynol DF-110D defoamer is an acetylenic diol-based product that provides defoaming and de-airetraining in aqueous systems without the side effects typical of many traditional foam control agents. Provides microfoam elimination, long-lasting foam control, defect-free foam control, and good dynamic wetting. No added APEs.

SURFYNOL DF-110L

A nonionic, organic molecular defoamer. Surfynol DF-110L defoamer is an acetylenic diol-based product that provides defoaming and de-airetraining in aqueous systems without the side effects typical of many traditional foam control agents. Benefits include: microfoam elimination, long-lasting foam control, defect-free foam control, and good dynamic wetting. No added APEs.

SURFYNOL DF-178

A formulated siloxane-based defoamer and de-aerator (100% active liquid). Surfynol DF-178 defoamer was developed specifically for applications in waterborne coatings and graphic arts that demand both powerful defoaming and defect-free surfaces. Provides strong defoaming and microfoam control and is particularly effective in spray applications. No added APEs.

SURFYNOL DF-37

A nonionic, organic defoamer (100% active liquid). Surfynol DF-37 defoamer is a proprietary acetylenic-based additive that provides foam control and surface wetting in water-based formulations. FDA compliance. No added APEs.

SURFYNOL DF-58

A siloxane-based defoamer (100% active liquid). Surfynol DF-58 defoamer is a proprietary formulation that provides strong foam control and de-aeration performance in water-based formulations. No added APEs.

SURFYNOL DF-62

An ether-modified polysiloxane defoamer (100% active liquid). Surfynol DF-62 defoamer is a proprietary formulation that provides excellent balance of initial foam knockdown and sustained antifoaming over time in water-based formulations. No added APEs.

SURFYNOL DF-66

A modified polysiloxane based defoamer. Surfynol DF-66 defoamer is a proprietary formulation that provides excellent balance of initial foam knockdown and sustained antifoaming over time in water-based formulations. FDA compliances, no added APEs.

SURFYNOL DF-695

A silicone emulsion defoamer. Surfynol DF-695 defoamer is a proprietary emulsified silicone additive. Provides initial and sustained defoaming performance in water-based formulations. FDA compliances, no added APEs.

SURFYNOL DF-220

An organic defoamer (100% active liquid). Surfynol DF-220 defoamer is a proprietary, non-silicone additive that provides rapid and sustained defoaming in water-based printing inks, coatings and adhesives systems. Surfynol DF-220 defoamer is ideally suited for architectural and medium- to high-PVC systems. No added APEs.

SURFYNOL FS-85

An anionic/nonionic wetting agent. Surfynol FS-85 surfactant is a proprietary additive designed for use in lithographic fountain solutions. Provides important wetting and emulsification properties, allowing the elimination of solvents and other undesirable additives from fountain solution formulations. No added APEs. Surfynol MD-20 A nonionic, organic defoaming/de-aerating wetting agent (100% active liquid). Surfynol MD-20 molecular defoamer is based on proprietary modified acetylenic diol chemistry. Provides foam control and reduces microfoam without any of the incompatibilities or other issues associated with silicone or mineral oil defoamers. No added APEs.

SURFYNOL MD-610S

A highly effective powder defoamer designed to eliminate air entrapment in cementitious based products for the construction industry. The unique chemistry of Surfynol MD-610S defoamer combines the benefits of fast-acting defoaming with long-lasting deaeration at a molecular level. Surfynol MD-610S defoamer enables the fast escape of entrapped air while incorporating water and during mixing. The resulting cementitious compositions exhibit enhanced flow, excellent self-leveling, reduced air content and a smooth and defect-free hardened surface. Surfynol MD-610S defoamer is universally applicable for use in both neutral and alkaline systems.

SURFYNOL OP-340

An anionic/nonionic wetting agent. Surfynol OP-340 wetting agent is a proprietary additive designed specifically for use in waterborne overprint varnish systems. Helps eliminate surface tension related issues like poor wetting, retraction, surface defects, or orange peel over both wet and dry lithographic inks. FDA compliances. No added APEs.

A molecular defoamer. Surfynol PC defoamer is a proprietary formulation designed specifically to provide foam control and pigment shock reduction in paper coating formulations. Provides long-lasting defoamer activity. Stable through continued recycling of the formulation. No added APEs.

SURFYNOL PSA336

A formulated wetting agent. Surfynol PSA336 surfactant is based on a proprietary combination of surface active chemistries. Provides very low dynamic surface tension and substrate wetting while minimizing foam creation in water-based pressure sensitive and laminating adhesives. No added solvents or APEs.

SURFYNOL SE

A self-emulsifiable wetting agent and defoamer. Surfynol SE surfactant is a self-emulsifiable product based on acetylenic diol chemistry. Provides similar performance to Surfynol 104, but with improved handling and incorporation in a wide variety of aqueous systems. No added APEs.

SURFYNOL SE-F

A self-emulsifiable wetting agent and defoamer. Surfynol SE-F surfactant is a self-emulsifiable product based on acetylenic diol chemistry. Provides similar performance to Surfynol SE, but with greater FDA approvals in a wide variety of aqueous systems. FDA compliance, no added APEs.

SURFYNOL 104

A nonionic wetting agent and molecular defoamer (100% active waxy solid). Surfynol 104 surfactant is an acetylenic diol based surface active agent that provides dynamic wetting and defoaming in waterborne coatings, inks, and adhesives systems. Surfynol 104 is available in a number of solvent cuts as well as powdered forms. FDA and EPA compliances, no added solvents or APEs.

**We take a responsible lead
in offering additives that
perform to the highest
environmental standards . . .**

DYNOL SUPERWETTERS

DYNOL 360

A high-performance nonionic superwetting and coalescing surfactant (100% active liquid). Dynol 360 surfactant is based on patented technology that provides extremely low dynamic and equilibrium surface tension reduction with low foam and film formation/coalescing benefits. Helps enable low-VOC coatings customers to meet environmental regulations in a variety of demanding waterborne applications. With no added solvents or APEs, this organic chemistry makes it a performance alternative to silicone and fluorosurfactants.

DYNOL 604

A high-performance, ethoxylated nonionic superwetter (100% active liquid). Dynol 604 surfactant is based on patented ethoxylated, acetylenic diol surface active chemistry. Provides extremely low dynamic and equilibrium surface tension with low foam in a variety of demanding waterborne applications. With no added solvents or APEs, this organic chemistry makes it a performance alternative to silicone and fluorosurfactants.

DYNOL 607

A high-performance, ethoxylated nonionic superwetter (100% active liquid). Dynol 607 surfactant is based on patented ethoxylated, acetylenic diol surface active chemistry. Provides extremely low dynamic and equilibrium surface tension with low to moderate foam and improved solubility in a variety of demanding waterborne applications. With no added solvents or APEs, this organic chemistry makes it a performance alternative to silicone and fluorosurfactants.

DYNOL 800

A high-performance, nonionic superwetter (100% active liquid). Dynol 800 surfactant provides a superior balance of properties compared to traditional fluorosurfactants and silicone surfactants, with exceptional performance in wood, plastic, and automotive coatings as well as a wide variety of other water-based coating applications. Based on Gemini technology, Dynol 800 surfactant is easy to formulate and has the ability to reduce both equilibrium and dynamic surface tension to levels not achieved with other surfactants. This excellent balance of properties makes Dynol 800 surfactant an excellent alternative for difficult-to-wet substrates requiring good flow and leveling under diverse application conditions.

DYNOL 810

A high-performance, nonionic superwetter (100% active liquid). Dynol 810 surfactant provides a superior balance of properties compared to traditional fluorosurfactants and silicone surfactants, with exceptional performance in inks and a wide variety of other water-based coating applications. Based on Gemini technology, Dynol 810 surfactant is easy to formulate and has the ability to reduce both equilibrium and dynamic surface tension to levels not achieved with other surfactants. This excellent balance of properties makes Dynol 810 surfactant an excellent alternative for difficult-to-wet substrates requiring good flow and leveling under diverse application conditions.

DYNOL 960

Dynol 960 superwetting surfactant is an optimized siloxane-based surfactant providing excellent equilibrium and dynamic surface tension reduction in a wide range of aqueous formulations. Designed to provide superwetting on difficult-to-wet substrates, it offers superior substrate wetting with extremely low foam. The characteristics of Dynol 960 surfactant enable exceptional performance in waterborne plastic coatings and printing inks. Dynol 960 surfactant can also provide good flow and leveling under diverse application conditions. Contains no added solvents, APEs or HAPs.

DYNOL 980

Dynol 980 superwetting surfactant is an optimized siloxane-based surfactant providing good equilibrium and dynamic surface tension reduction in a wide range of aqueous formulations. Designed to provide superwetting on difficult-to-wet substrates, it offers superior substrate wetting with low foam and excellent compatibility. The characteristics of Dynol 980 surfactant enable exceptional performance in waterborne wood coatings and overprint varnishes. Dynol 980 surfactant can also provide good flow and leveling under diverse application conditions. Contains no added solvents, APEs or HAPs.

AIRASE DEFOAMERS AND DEAERATORS

AIRASE 4500

A proprietary oil defoamer designed to eliminate foam, pinholes and entrapped air in water-based inks, adhesives and coatings without generating surface defects. It contains no added mineral oils, HAPs, or APEs and has several FDA compliances.

AIRASE 4655

A relatively compatible organic oil-based defoamer designed to control and eliminate foam in a broad range of waterbased systems, with particular advantages in adhesives end-use applications as well as in inks, pigment grinds, overprint varnishes and coatings systems. It is easy to incorporate and provides excellent compatibility with high shear stability. It does not contain added mineral oils, hazardous air pollutants (HAPs), alkyl phenol ethoxylates (APEs) or acetylenic diols. The product has multiple regional food contact compliances.

AIRASE 4750V

A proprietary vegetable oil based defoamer designed to control foam, bubbles, and entrapped air without generating surface defects. It does not contain added mineral oils, hazardous air pollutants (HAPs), or alkyl phenol ethoxylates (APEs). This defoamer combines good efficiency with excellent film compatibility and sustained defoaming performance, suitable for a wide range of waterborne applications.

AIRASE 4800

100% active, mineral oil based defoamer for a variety of water-based formulations. It does not contain added hazardous air pollutants (HAPs), or alkyl phenol ethoxylates (APEs). This defoamer combines good film compatibility with sustained, long term defoaming performance.

AIRASE 5100

The Airase Structured Siloxane Defoamer Line (SSDL™ defoamers) consists of products that span the application space from strong defoaming to high compatibility. Airase 5100 defoamer is the strongest defoamer of the SSDL defoamer line. Designed for applications where strong defoaming is required and the formulations are not sensitive to cratering.

AIRASE 5200

The Airase Structured Siloxane Defoamer Line (SSDL defoamers) consists of products that span the application space from strong defoaming to high compatibility. Airase 5200 defoamer, a product in the SSDL defoamer line, is designed for applications where strong defoaming is required and the formulations are not particularly sensitive to cratering. Provides excellent long-term, persistent defoaming in formulations. Better film compatibility than Airase 5100 defoamer.

AIRASE 5300

The Airase Structured Siloxane Defoamer Line (SSDL defoamers) consists of products that span the application space from strong defoaming to high compatibility. Airase 5300 defoamer, a product in the SSDL defoamer line, is designed for applications where strong defoaming is required with good long-term persistency, especially in high shear applications.

AIRASE 5355

A strong siloxane based defoamer designed to control and quickly eliminate foam without generating defects in waterbased pigment grinds, inks, overprint varnishes, and coatings. It can be incorporated into the grind or letdown, depending on the formulation requirement. It does not contain added mineral oils, hazardous air pollutants (HAPs), alkyl phenol ethoxylates (APEs) or acetylenic diols. The product has multiple regional food contact compliances.

AIRASE 5400

The Airase Structured Siloxane Defoamer Line (SSDL defoamers) consists of products that span the application space from strong defoaming to high compatibility. Airase 5400 defoamer, a product in the SSDL defoamer line, is designed for applications where strong defoaming is required with good long-term persistency, especially in high shear applications. Better film compatibility than Airase 5300 defoamer.

AIRASE 5500

The Airase Structured Siloxane Defoamer Line (SSDL defoamers) consists of products that span the application space from strong defoaming to high compatibility. Airase 5500 defoamer, a product in the SSDL defoamer line, can be incorporated in the grind or used as a let-down defoamer. Designed for applications where good defoaming is required with good long-term persistency and film compatibility.

AIRASE 5600

The Airase Structured Siloxane Defoamer Line (SSDL defoamers) consists of products that span the application space from strong defoaming to high compatibility. Airase 5600 defoamer, a product in the SSDL defoamer line, can be incorporated in the let-down of a coating or ink. Airase 5600 defoamer provides an excellent balance of effective defoaming and film compatibility.

AIRASE 5655

A compatible siloxane based letdown defoamer designed to control and quickly eliminate foam without generating defects in waterbased inks, overprint varnishes, and coatings. It does not contain added mineral oils, hazardous air pollutants (HAPs), alkyl phenol ethoxylates (APEs) or acetylenic diols. The product has multiple regional food contact compliances.

AIRASE 5700

The Airase Structured Siloxane Defoamer Line (SSDL defoamers) consists of products that span the application space from strong defoaming to high compatibility. Airase 5700 defoamer, a product in the SSDL defoamer line, is formulated for incorporation in the let-down of a coating or ink and has the best compatibility in the SSDL defoamer line. Airase 5700 defoamer provides an excellent balance of effective defoaming and film compatibility.

AIRASE 8070

A proprietary formulated modified siloxane deaerator. Particularly suitable for waterborne airless and air-assisted spray applications, this product is designed to eliminate foam, pinholing and solvent popping without generating surface defects.

ZETASPERSE DISPERSANTS

ZETASPERSE 170

A nonionic stabilizing surfactant (100% active liquid). ZetaSperser 170 dispersant is a tailored combination of wetting and stabilizing chemistries that provides optimized stabilization of acidic carbon black pigments and polar inorganics like TiO₂ in waterborne coatings and inks. ZetaSperser 170 additive is best in conjunction with an anionic dispersant or grind resin.

ZETASPERSE 179

A high HLB nonionic stabilizing surfactant and wetting agent. ZetaSperser 179 dispersant offers excellent nonionic stabilization properties for dispersion, emulsification and surfactancy benefits in a variety of waterborne applications including coatings, inks and adhesives. In pigment dispersions specifically, ZetaSperser 179 dispersant can be used

in the milling phase as a co-dispersant to improve the dispersion characteristics of an anionic polymeric dispersant as well as added during letdown to improve compatibility and color acceptance. ZetaSperser 179 dispersant contains no added APEs, offering a good alternative to highly ethoxylated alkyl phenol-based surfactants.

ZETASPERSE 182

Our highest HLB nonionic stabilizing surfactant and wetting agent. ZetaSperser 182 dispersant offers excellent nonionic stabilization properties for dispersion, emulsification and surfactancy benefits in a variety of waterborne applications including coatings inks and adhesives. In pigment dispersions specifically, ZetaSperser 182 dispersant can be used in the milling phase as a co-dispersant to improve the dispersion characteristics of an anionic polymeric dispersant as well as added during letdown to improve compatibility and color acceptance. ZetaSperser 182 dispersant contains no added APEs, offering a good alternative to highly ethoxylated alkyl phenol-based surfactants.

ZETASPERSE 1200

A high-performance dispersant (45% active solution in water and propylene glycol). ZetaSperser 1200 dispersant is a tailored combination of wetting and stabilizing chemistries that provides optimized viscosity, gloss, and performance for polar inorganic pigment dispersions, such as titanium dioxide and iron oxides in waterborne coatings and inks.

ZETASPERSE 2300

A high-performance dispersant (95% active liquid with water). ZetaSperser 2300 pigment dispersing additive is a tailored combination of wetting and stabilizing chemistries that provides robust stabilization of most pigment and particle chemistries in waterborne coatings and inks.

ZETASPERSE 2500

A high-performance dispersant (40% active solution in water). ZetaSperser 2500 pigment dispersing additive is a tailored combination of wetting and stabilizing chemistries that provides excellent viscosity stability and stabilization of demanding organic pigment chemistries in waterborne coating and ink systems. ZetaSperser 2500 offers exceptional viscosity stability in the dispersion of metal salt pigments and contains no added APEs; as such, it is an alternative to Surfynol CT-171 additive.

ZETASPERSE 3100

A high-performance dispersant (40% active solution in water). ZetaSperser 3100 dispersant is a tailored combination of stabilizing chemistries that provides outstanding stabilization of carbon black and inorganic pigment dispersions with robust letdown compatibility in waterborne coating and ink systems.

ZETASPERSE 3400

A high-performance dispersant (29% active solution in water). ZetaSperser 3400 dispersant is a tailored combination of wetting and stabilizing chemistries that provides excellent color and viscosity stability in the dispersion of problematic and high-performance organic pigments such as quinacridone, perylene, azo, and metal complex chemistries in waterborne coating and ink systems.

ZETASPERSE 3600

An anionic/nonionic pigment dispersant and wetting agent (52% active solution in water). ZetaSperser 3600 pigment dispersing additive is a proprietary formulation of surface active and polymeric chemistries that provides excellent milling, stabilization, and viscosity benefits in the dispersion of a wide range of organic and carbon black pigment chemistries in aqueous systems. Contains no added solvent or APEs and can be used as an alternative to Surfynol CT-131 and CT-136 additives.

Continually striving to be the global supplier of choice of specialty additives in a broad range of applications and markets which value high performance solutions.



ZETASPERSE 3700

A high-performance dispersant (40% active solution in water). ZetaSperser 3700 dispersant is a tailored combination of wetting and stabilizing chemistries that provides excellent color and viscosity stability in the dispersion of problematic and high-performance organic pigments such as DPP, phthalocyanine, azo and dioxazine chemistries in waterborne coating and ink systems.

ZETASPERSE 3800

A 40% active solution in water, ZetaSperser 3800 dispersant is based on a nonionic comb polymer designed to offer robust stabilization across all pigment types and chemistries. ZetaSperser 3800 is very forgiving in formulation and a first choice for new formulation development and use across multiple different dispersion formulations.

CARBOWET SURFACTANTS

CARBOWET 76

An ethoxylated nonionic surfactant (HLB: 7.6). Carbowet 76 surfactant is an additive for pigment and substrate wetting for waterborne coatings, inks, and adhesives systems. Excellent water in oil emulsifier. FDA and EPA compliances, no added solvents or APEs.

CARBOWET 103

Carbowet 103 surfactant is a proprietary formulation of relatively low HLB nonionic surfactants that provides the surface tension reduction necessary to wet both pigment and substrate, and can enhance/stabilize color acceptance in waterborne coatings, inks, and adhesives systems. FDA and EPA compliances, no added solvents or APEs.

CARBOWET 106

Carbowet 106 surfactant is a proprietary formulation of nonionic surfactants designed to provide performance comparable to NP-6 type and similar alkyl phenol-based surfactants in waterborne coatings, inks, and adhesives systems. Allows for the surface tension reduction necessary to wet both pigment and substrate, and can enhance/stabilize color acceptance. FDA and EPA compliances, no added solvents or APEs.

CARBOWET 109

Carbowet 109 surfactant is a proprietary formulation of nonionic surfactants designed to provide performance comparable to NP-9 type and similar alkyl phenol-based surfactants in waterborne coatings, inks, and adhesives systems. Allows for the surface tension reduction necessary to wet both pigment and substrate, and can enhance/stabilize color acceptance. FDA and EPA compliances, no added solvents or APEs.

CARBOWET 125

An ethoxylated nonionic surfactant (HLB: 12.5). Carbowet 125 surfactant is a low viscosity liquid that is rapidly soluble in water and provides good surface tension reduction for substrate and pigment wetting in a wide range of applications. FDA and EPA compliances, no added solvents or APEs.

CARBOWET 138

An ethoxylated nonionic surfactant (HLB: 13.8). Carbowet 138 surfactant is mid-HLB traditional surfactant with balanced properties for use in typical waterborne formulations. This low viscosity, easy-to-handle liquid provides an excellent alternative to APE chemistries of similar HLB and has a number of FDA and EPA compliances.

CARBOWET 144

An ethoxylated nonionic surfactant (waxy solid at room temperature; HLB: 14.4). Carbowet 144 surfactant is an additive for pigment and substrate wetting in waterborne coatings, inks, and adhesives systems. Provides surface tension reduction and wetting, improves freeze-thaw stability of acrylic systems. Excellent oil in water emulsifier. FDA and EPA compliances, no added solvents or APEs.

CARBOWET LSF

A nonionic wetting agent and dispersant that provides good wetting as well as good foam control to coagulant baths for both natural and synthetic rubber dipping process and in the preparation of latex tank compounds. It is an easy-to-dissolve liquid with a high cloud point that provides excellent wetting, rapid destabilization of foam, and reduced defects. No added APEs.

CARBOWET GA-100

Carbowet GA-100 surfactant is a proprietary combination of nonionic wetting and stabilizing surface active chemistries. It offers low foam wetting of substrates and pigments as well as providing compatibilization and stabilization benefits in coating and ink formulations and dispersions. Carbowet GA-100 surfactant offers balanced performance for architectural paint formulations and excellent compatibility with associative thickeners.

CARBOWET GA-200

A grind aid designed to provide the superior low-foam surfactancy needed in pigmented systems, which includes dynamic wetting, milling, and compatibilization benefits without the adverse impacts on water sensitivity, foam, or rheology typically found with other surfactants. Additionally, Carbowet GA-200 surfactant is suitable for low- or zero-VOC, low emission and EcoLabel compliant formulations.

CARBOWET GA-210

Carbowet GA-210 surfactant is a proprietary combination of nonionic wetting and stabilizing surface active chemistries. It offers efficient wetting and stabilization benefits for a wide range of waterborne applications and can improve milling efficiencies in pigment grinds and dispersions. Compared to its sibling products in the GA series, Carbowet GA-210 surfactant offers the most universal and balanced properties and is suitable for all applications.

CARBOWET GA-211

Carbowet GA-211 surfactant is a proprietary combination of nonionic wetting and stabilizing surface active chemistries. It offers low foam wetting of substrates and pigments as well as providing compatibilization and stabilization benefits in coating and ink formulations and dispersions. Compared to its sibling products in the GA series, Carbowet GA-211 surfactant offers the lowest foam and strongest dynamic wetting properties.

CARBOWET GA-221

Carbowet GA-221 surfactant is a proprietary combination of nonionic wetting and stabilizing surface active chemistries. It offers low foam wetting of substrates and pigments as well as providing compatibilization and stabilization benefits in coating and ink formulations and dispersions. Compared to its sibling products in the GA series, Carbowet GA-221 surfactant offers the most stabilization benefits and a first choice for organic and carbon black pigment dispersions.

EVONIK CORPORATION

Allentown, PA 18195
1 800 345-3148
Outside U.S. and Canada 1 610 481-6799

For Technical Information and Support:

Americas: picus@evonik.com
EMEA: apcse@evonik.com

For Samples:

Americas: prodinfo@evonik.com
Asia: picasia@evonik.com
EMEA: apcse@evonik.com

For Customer Service:

US / Canada
cspolyur@evonik.com

LASA
lachim@evonik.com

Japan
pmdcsojp@evonik.com

Asia
PMD-Asia Customer Service:
pmdcso@evonik.com
APCS PMGP (Korea):
apckr@evonik.com

EMEA:
apcsex@evonik.com

The information contained herein is offered without charge for use by technically qualified personnel at their discretion and risk. All statements, technical information and recommendations contained herein are based on tests and data which we believe to be reliable, but the accuracy or completeness thereof is not guaranteed and no warranty of any kind is made with respect thereto.

